

PAER

Normalprofil
AHW
High Flex
UFW

RoHS

Material:

Polyamide 6 modifiziert

Temperaturbereich:

3000 h: -40°C bis 150°C

240 h: -40°C bis 175°C

Flammenschutz:

- UL 94: HB
- nach FMVSS 302: selbstverlöschend

Farbe(n)/Ausführungen:

- Schwarz, weitere auf Anfrage
- Stücklängen auf Anfrage

PAER


Normal Profile
AHW
High Flex
UFW

Eigenschaften:

- UV-beständig nach DIN EN ISO 8580
- Halogenfrei

Anwendungsbereich:

- Fahrzeugbau
- Motorraum und Karosserie
- AHW-Profil: für kleine Biegeradien besonders geeignet



Material:

Polyamide 6 modifiziert

Temperature range:

3000 h: -40°C to 150°C

240 h: -40°C to 175°C

Inflammability:

- UL 94: HB
- acc. to FMVSS 302: selfextinguishing

Colour(s)/Designs:

- Black, others on request
- Cutted lengths on request

Characteristics:

- UV resistant acc. to DIN EN ISO 8580
- Free of halogen

Applications:

- Vehicle Industries
- Body section and chassis
- AHW-Profil: for small bending radii recommended

| NW | Profil | A mm | I mm | Container / Container | | | | Ring/Coil | | |
|-----|---------------------|------|------|-----------------------------|-------|-------------------------------|------|-----------------------------|-------------------------------|------|
| | | | | Art.-Nr. geschlitzt schwarz | VE m | Art.-Nr. ungeschlitzt schwarz | VE m | Art.-Nr. geschlitzt schwarz | Art.-Nr. ungeschlitzt schwarz | VE m |
| | | | | Art. no. slit black | PU m | Art. no. unslit black | PU m | Art. no. slit black | Art. no. unslit black | PU m |
| 4,5 | Normal/normal | 7,1 | 5,0 | 1215904 | 10000 | 1215764 | 9000 | 1215804 | 1215704 | 100 |
| 6 | Normal/normal | 9,2 | 6,0 | 1215906 | 5000 | 1215766 | 5000 | 1215806 | 1215706 | 100 |
| 7,5 | Normal/normal | 10,0 | 6,7 | 1215907 | 5000 | 1215767 | 5000 | 1215807 | 1215707 | 50 |
| 8,5 | Normal/normal | 11,7 | 8,4 | 1215908 | 4000 | 1215768 | 3300 | 1215808 | 1215708 | 50 |
| 10 | Normal/normal | 13,0 | 9,9 | 1215910 | 3300 | 1215770 | 3000 | 1215810 | 1215710 | 50 |
| 12 | Normal/normal | 15,7 | 12,2 | 1215912 | 2200 | 1215772 | 2200 | 1215812 | 1215712 | 50 |
| 13 | Normal/normal | 15,8 | 12,7 | 1215913 | 2200 | 1215773 | 2000 | 1215813 | 1215713 | 50 |
| 14 | Normal/normal | 18,5 | 14,2 | 1215914 | 1700 | 1215774 | 1700 | 1215814 | 1215714 | 50 |
| 16 | Normal/normal | 18,9 | 15,0 | 1215916 | 1700 | 1215776 | 1700 | 1215816 | 1215716 | 50 |
| 17 | Normal/normal | 21,2 | 16,6 | 1215917 | 1300 | 1215777 | 1100 | 1215817 | 1215717 | 50 |
| 22 | Normal/normal | 25,4 | 21,3 | 1215922 | 900 | 1215782 | 700 | 1215822 | 1215722 | 50 |
| 23 | Normal/normal | 28,3 | 23,2 | 1215923 | 700 | 1215783 | 650 | 1215823 | 1215723 | 50 |
| 26 | Normal/normal | 31,2 | 25,8 | 1215926 | 500 | 1215786 | 600 | 1215826 | 1215726 | 25 |
| 29 | Normal/normal | 34,5 | 29,0 | 1215929 | 500 | 1215789 | 450 | 1215829 | 1215729 | 25 |
| 37 | Normal/normal | 42,4 | 36,0 | 1215937 | 300 | 1215790 | 250 | 1215837 | 1215737 | 25 |
| 50 | Normal/normal | 54,0 | 47,7 | 1215950 | 200 | 1215791 | 150 | 1215850 | 1215750 | 25 |
| 4,5 | AHW/AHW | 7,1 | 5,0 | 1215964 | 10000 | 1215554 | 9000 | 1215043 | 1215504 | 100 |
| 6 | AHW/AHW | 9,2 | 6,0 | 1215966 | 5000 | 1215556 | 5000 | 1215060 | 1215506 | 100 |
| 8,5 | AHW/AHW | 12,9 | 8,5 | 1215968 | 3300 | 1215558 | 3000 | 1215086 | 1215508 | 50 |
| 11 | AHW/AHW | 15,7 | 11,1 | 1215971 | 2200 | 1215561 | 2000 | 1215116 | 1215511 | 50 |
| 15 | AHW/AHW | 21,2 | 15,0 | 1215975 | 1300 | 1215565 | 1100 | 1215159 | 1215515 | 50 |
| 19 | AHW/AHW | 25,7 | 19,1 | 1215979 | 900 | 1215569 | 700 | 1215191 | 1215519 | 50 |
| 26 | AHW/AHW | 31,4 | 26,3 | 1215986 | 500 | 1215576 | 450 | 1215264 | 1215526 | 25 |
| 34 | AHW/AHW | 39,5 | 34,1 | 1215994 | 300 | 1215586 | 250 | 1215345 | 1215534 | 25 |
| 13 | High Flex/High Flex | 18,6 | 13,9 | 1215313 | 1700 | 1215213 | 1700 | 1215113 | 1215013 | 50 |
| 19 | High Flex/High Flex | 24,2 | 19,0 | 1215319 | 900 | 1215219 | 700 | 1215119 | 1215019 | 50 |
| 23 | High Flex/High Flex | 28,7 | 23,6 | 1215323 | 600 | 1215223 | 500 | 1215123 | 1215023 | 50 |
| 4,5 | UFW/UFW | 7,3 | 4,7 | 1215164 | 10000 | 1215124 | 9000 | 1215444 | 1215404 | 100 |
| 7,5 | UFW/UFW | 10,1 | 6,3 | 1215167 | 5000 | 1215127 | 5000 | 1215447 | 1215407 | 50 |
| 8,5 | UFW/UFW | 12,0 | 8,2 | 1215168 | 4000 | 1215128 | 3300 | 1215448 | 1215408 | 50 |
| 10 | UFW/UFW | 13,1 | 9,3 | 1215170 | 3300 | 1215130 | 3000 | 1215450 | 1215410 | 50 |
| 13 | UFW/UFW | 15,9 | 12,0 | 1215173 | 2200 | 1215133 | 2000 | 1215453 | 1215413 | 50 |
| 17 | UFW/UFW | 21,2 | 16,0 | 1215177 | 1300 | 1215137 | 1100 | 1215457 | 1215417 | 50 |
| 19 | UFW/UFW | 23,7 | 18,6 | 1215179 | 900 | 1215139 | 700 | 1215459 | 1215419 | 50 |
| 22 | UFW/UFW | 25,7 | 19,9 | 1215182 | 800 | 1215142 | 700 | 1215462 | 1215422 | 50 |
| 23 | UFW/UFW | 28,6 | 22,2 | 1215183 | 700 | 1215143 | 650 | 1215463 | 1215423 | 50 |
| 26 | UFW/UFW | 31,5 | 24,9 | 1215186 | 600 | 1215146 | 600 | 1215466 | 1215426 | 25 |
| 29 | UFW/UFW | 34,6 | 28,4 | 1215189 | 500 | 1215149 | 450 | 1215469 | 1215429 | 25 |
| 37 | UFW/UFW | 42,3 | 35,4 | 1215197 | 300 | 1215157 | 250 | 1215477 | 1215437 | 25 |